



EAGLE

TRAILER JETTERS

4020-DWR




Superior Design and Manufacturing make our
Jetters the most reliable Jetters you can buy.

ERFUL FULL-FEATURED TRAILER

JETTERS

NORTHWEST



**DUAL LIQUID-COOLED,
FUEL INJECTED GAS ENGINES**

31-HP Kawasaki V-Twin OHV
with Electric Start

**LOW-PROFILE DESIGN FOR
SAFE OPERATOR VISIBILITY**

Protective, Rust-Free Engine Enclosure
Aluminum Construction with Hood

**300-GALLON
WATER TANK CAPACITY**

Towable When Full
2" Fast-Fill Pipe with Air-Gap
100 ft. Fill-Hose/Reel



**HEAVY-DUTY TRAILER
WITH ELECTRIC BRAKES**

Adjustable-Height Hitch
LED-Lighting, Aluminum Wheels
5"x 2" Tube Steel 5200-GVW

**DUAL FENDER
STORAGE BOXES**

Lockable (36"x15"x13")
Powder-Coated Steel Construction



DEALER INFO



WIRELESS REMOTE CONTROL

Jetting On/Off, Engine Start/Stop
Throttle Up/Down, Hose-Wind
Quarter-Mile Range



WATER-SUPPLY HOSE/REEL

100-ft. $\frac{3}{4}$ " Commercial-Duty Hose



CONTROL PANEL

Engine & Jetting Control
Pressure Gauge
Pulsation System
Pressure Regulator
All Controls Swivel with Hose Reel

JETTING HOSE

500-ft. x $\frac{1}{2}$ " - 5500 PSI Rated
(600 ft. Capacity Reel)

SWIVELING HOSE-REEL

Ultra-Torque 12v.
Electric Powered
Adjustable-Speed
Wind/Unwind



DEALER INFO



4020-DWR

PERFORMANCE FEATURES

20-GPM / 4000-PSI
Pump-Performance

300-GALLON WATER TANK CAPACITY
Optional 600-Gallon Tandem-Axle Models Available

WIRELESS REMOTE CONTROL
Jetting On/Off, Engines Start/Stop, Throttle Up/Down, & Reel-Wind

DUAL FUEL-INJECTED ENGINES
Liquid-Cooled Kawasaki 824cc V-Twin OHV Engines

DUAL UDOR SUPER DUTY PUMPS WITH GEARBOX-DRIVE
No Belts to Adjust or Replace

500-FT. OF JETTING HOSE
1/2" I.D., Aramid Reinforced 5500-PSI Rated (600' optional)

HOSE-REEL WITH 180° ROTATING BASE
12-Volt Ultra-Torque Design w/Variable-Speed Control

100-FT. WATER-SUPPLY HOSE ON 2ND REEL
3/4" I.D. Commercial-Duty Hose

2" FAST-FILL PIPE WITH AIR GAP
over Water-Tank

DUAL FENDER-MOUNTED STORAGE BOXES
Lockable 36-in. x 15-in. x 13-in. (each)

12-GALLON FUEL TANK
CARB/EPA Compliant

TRAILER FEATURES

HEAVY DUTY TRAILER
with Aluminum Wheels

LIFETIME FRAMEWORK WARRANTY
5" X 2" Tubular Steel Frame

TOWABLE WHEN FULL OF WATER
5,200-GVW Rating (9,900 GVW on 600-Gallon Models)

PROTECTIVE FRONT-END ENCLOSURE
Rust-Free Aluminum with Lockable Hood

ELECTRIC BRAKING SYSTEM
with Safety "Break-Away" Actuator

A-FRAME TONGUE WITH HEAVY-DUTY JACK
Handy "Drop-Leg" Type

ADJUSTABLE-HEIGHT HITCH (5-POSITION)
with 2-5/16" Ball Coupler (Pintle Style optional)

STEP-STYLE FENDER SUPPORTS
with Back-Skirting to Deflect Debris

INTEGRAL WATER-TANK MOUNTING-SADDLE
with Vertical Retaining Posts (Integral to Trailer-Frame)

RECESSED LED LIGHTING
and Reflective Labeling

SAFETY LED BEACON LIGHT
and 12-Volt Auxiliary Outlet

JETTING CONTROLS

JETTING ON/OFF FLOW-CONTROL
Wireless or Manual Control

ENGINE START/STOP
Wireless or Manual Control

THROTTLE (PRESSURE) UP/DOWN
Wireless or Manual Control

HOSE REEL WIND/UNWIND (VARIABLE SPEED)
Wireless or Manual Reel Actuation

PRESSURE ADJUSTMENT VALVE AND GAUGE
Panel-Mounted (Swivels with Reel)

PULSATION CONTROL
Variable Intensity, Panel Mounted

NOZZLES & ACCESSORIES

4 STAINLESS STEEL NOZZLES INCLUDED
Penetrator, Rotator, Pusher, & Flusher

TIGER-TAIL HOSE-GUIDE
for Jetting-Hose Protection

SAFETY-ORANGE LEADER-HOSE
10-ft. x 1/2-in.

ANTI-TURNAROUND NOZZLE-EXTENSION
Included for Safety in Larger Pipes

AVAILABLE OPTIONS

ANTI-FREEZE WINTERIZATION SYSTEM
Air-Purge Connection is Standard

PORTABLE-REELS, MINI-HOSES,
and Other Jetting Accessories

HIGH-PERFORMANCE NOZZLES
Warthog, Reaper, Grenade, Chain-Scraper, & more